




AVPL RMW - Architectural Shoebox

Description

Architectural style luminaire provides a slim line design for a variety of lighting applications. The RMW series by AV Poles and Lighting is ideal for commercial, roadway, and design build lighting applications.

Features

- EPA = 1.12
- Cast Aluminum construction
- Stainless Steel hardware
- Dark Sky/ Full Cutoff
- IP67 rated modules - 5 year warranty
- Up to 130+ Lumens Per Watt output
- Low maintenance cost with lifetime >54,000 hrs
- Multiple lighting distribution options with optical lens transmittance up to 98%
- Multiple LED modules can easily be connected in series
- TGIC thermoset polyester powder coat finish is electrostatically applied at a 3.0 mil nominal thickness. A five stage metal pre-treatment process and sealer provide maximum corrosion resistance. The powder top coat is baked in excess of 400 degrees for supreme endurance.



Ordering Information

Luminaire	Lamp Type	Volts	Mounting	Finish	Options																									
AVPL RMW <input type="checkbox"/>	LED *Please call factory for alternate lamp options* 700mA: 35W, 71W, 104W, 136W 1A: 55W, 106W, 156W, 205W	120	<input type="checkbox"/> Wall Mount.....	<input type="checkbox"/> Dark Bronze	Optical House Side Shield <input type="checkbox"/>																									
	Optics Lumen Output (4K)	208	<input type="checkbox"/> 1.....	<input type="checkbox"/> Black	Electrical 10-20KV Surge Protector <input type="checkbox"/>																									
<input type="checkbox"/> Type II	<table border="1"> <tr> <td></td> <td>35W 700mA</td> <td>55W 1A</td> <td>71W 700mA</td> <td>106W 1A</td> </tr> <tr> <td>Type II</td> <td>4,424</td> <td>6,017</td> <td>8,848</td> <td>12,033</td> </tr> <tr> <td>Type III</td> <td>4,558</td> <td>6,199</td> <td>9,116</td> <td>12,398</td> </tr> <tr> <td>Type IV</td> <td>4,381</td> <td>5,958</td> <td>8,762</td> <td>11,916</td> </tr> <tr> <td>Type V</td> <td>4,432</td> <td>6,028</td> <td>8,864</td> <td>12,055</td> </tr> </table>		35W 700mA	55W 1A	71W 700mA	106W 1A	Type II	4,424	6,017	8,848	12,033	Type III	4,558	6,199	9,116	12,398	Type IV	4,381	5,958	8,762	11,916	Type V	4,432	6,028	8,864	12,055	240	<input type="checkbox"/> 2-90.....	<input type="checkbox"/> White	0-10V Dimmable Driver(s) <input type="checkbox"/>
	35W 700mA	55W 1A	71W 700mA	106W 1A																										
Type II	4,424	6,017	8,848	12,033																										
Type III	4,558	6,199	9,116	12,398																										
Type IV	4,381	5,958	8,762	11,916																										
Type V	4,432	6,028	8,864	12,055																										
<input type="checkbox"/> Type III	<table border="1"> <tr> <td></td> <td>104W 700mA</td> <td>156W 1A</td> <td>136W 700mA</td> <td>205W 1A</td> </tr> <tr> <td>Type II</td> <td>13,272</td> <td>18,050</td> <td>17,696</td> <td>24,067</td> </tr> <tr> <td>Type III</td> <td>13,674</td> <td>18,597</td> <td>18,232</td> <td>24,796</td> </tr> <tr> <td>Type IV</td> <td>13,143</td> <td>17,874</td> <td>17,524</td> <td>23,833</td> </tr> <tr> <td>Type V</td> <td>13,296</td> <td>18,083</td> <td>17,728</td> <td>24,110</td> </tr> </table>		104W 700mA	156W 1A	136W 700mA	205W 1A	Type II	13,272	18,050	17,696	24,067	Type III	13,674	18,597	18,232	24,796	Type IV	13,143	17,874	17,524	23,833	Type V	13,296	18,083	17,728	24,110	277	<input type="checkbox"/> 2-180.....	<input type="checkbox"/> Grey	Photo Cell + Voltage <input type="checkbox"/>
	104W 700mA	156W 1A	136W 700mA	205W 1A																										
Type II	13,272	18,050	17,696	24,067																										
Type III	13,674	18,597	18,232	24,796																										
Type IV	13,143	17,874	17,524	23,833																										
Type V	13,296	18,083	17,728	24,110																										
<input type="checkbox"/> Type IV	Color Temp 3000K Warm <input type="checkbox"/>	MT	<input type="checkbox"/> 3-90.....	<input type="checkbox"/> Green	High/Low Dimming for Hardwired Switching or Non-Integrated Motion Sensor <input type="checkbox"/>																									
<input type="checkbox"/> Type V	4000K Neutral <input type="checkbox"/>	<input type="checkbox"/> 120-277 Voltage Sensing	<input type="checkbox"/> 3-120.....																											
	5000K Cool <input type="checkbox"/>	<input type="checkbox"/> = LED Only	<input type="checkbox"/> 4-90.....																											